


CE3 **F**

**MAKE IT
UNION**



The new CE3F Fixed Size 3 Rack and Pinion Door Closer

UNION[®]

ASSA ABLOY

Trusted by **Professionals**

ASSA ABLOY, the global leader
in door opening solutions

Quality, Reliability, Expertise...

...three solid reasons to choose UNION




UNION quality

Achieving the perfect combination of technology and materials, each and every one of our products is manufactured to the highest specification – resulting in a quality of product that others can only aspire to.




UNION reliability

All of our products undergo the most rigorous testing – way beyond normal UK standards – in order to guarantee the longest lifetime of excellent performance.







UNION expertise

Established as a manufacturer back in 1840, our expertise and heritage is second to none and combined with ASSA ABLOY's dedication to research and development - you can be confident that you're fitting a product you can trust.



The new CE3F Fixed Size 3 Rack and Pinion Door Closer

-  Marked to EN 1154 in all 3 mounting positions
-  Fire rated for timber (FD120) and metal (FD240) fire doors
-  certifire approved
-  Remarkably robust, yet provides incredible value for money

Make the right choice... make it UNION

For further information please visit www.uniononline.co.uk/CE3F
or contact us on 0845 223 2124



Reasons to choose the CE3F Door Closer

CE3F

1. Everything included

- Supplied with all components required to install safely in all three mounting positions.



2. Easy to install

- Quick and easy fitting process with specific template for each mounting position, to prevent mistakes. Installation video available at www.uniononline.co.uk/CE3F
- Uses the same footprint and fixing dimensions as most popular UK door designs – can be easily retro fitted with minimum effort.
- Non-handed design which provides flexibility - reducing the amount of parts stocked.



3. Easy to adjust

- Adjustable arm allows the CE3F to be easily installed and adjusted in multiple applications.



4. Easy to set up

- Side mounted door speed and latch controls for convenient access - allowing easy and accurate set up of the door opening and closing.



Features and Specification

- Fixed size 3 rack and pinion door closer. Product code J-CE3F-SIL


EN 1154 Size	Max Door Width	Max Door Weight
1	750mm	20kg
2	850mm	40kg
3	950mm	60kg
4	1100mm	80kg
5	1250mm	100kg
6	1400mm	120kg

Maximum door width 950mm EN Size 3


- CE Marked to EN 1154 in all 3 positions




Regular (Fig. 1)



Transom (Fig. 61)



Parallel (Fig. 66)



- Fire rated for timber (FD120) and metal (FD240) fire doors



- Certifire approved

- 10 year guarantee for peace of mind



- 130° maximum angle of opening (controlled closing)

- Adjustable closing speed from 130° open to 15° open


- Adjustable latch action for final 15°

- Adjustable arm set for regular, transom and parallel arm installation

- Additional bracket included for parallel arm mounting

- Please visit www.uniononline.co.uk/dop for declaration of performance documentation

Product Dimensions



*Projection will vary as frame depth changes from flush frame shown

For further product information and installation video, please visit www.uniononline.co.uk/CE3F

**For further details on this or any of
the products in the UNION range please contact your
Regional Sales Manager or the Customer Services Department:**

ASSA ABLOY Security Solutions
School Street, Willenhall WV13 3PW
Tel: 0845 223 2124 Fax: 0845 223 2125 Email: info@uniononline.co.uk
www.uniononline.co.uk

Version 1 November 2016



ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

Trusted by **Professionals**