



570.2940.39

Upright Patch Lock/Latch - Right Hand



Product Specification

A high quality patch lock/latch for glass doors, including a frame strike plate

Levers sold separately

Suits euro profile cylinder (not included)

Similar cutout requirements to the Dorma Junior Office Classic patch lever/locksets (check before purchasing or cutting your glass!)

Specification

Finish	Black
Handing	Right Hand
Glass Thickness	8-12mm
Levers Included	No - sold separately
Cylinder Included	No - sold separately

For more information please contact


01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ


Technische Daten:
Office Glastürschloss - MARELLE

Datasheet:
Office glass door lock - MARELLE

Art. 77452930001-12
Art. 77452930001-26



Ausführung:
Options:



DIN links/left






für:/for:
Profilzylinder
 Profile cylinder

Material:	V2A
Material:	Stainless steel AISI 304


Gewicht: / Weight: 0,615 kg

Oberflächen: Edelstahl-Design
Finish: Stainless steel design

Anthrazit-Design
Anthracite design



aluminium door frame
art.: 77495252....





example wooden
door frame

*drawing shows
10mm glass

Art. 77452930001-12
Art. 77452930001-26


Glasbearbeitung:
Glass preparation:



*Empfohlene Türdrücker Höhe
*Recommended door handle height

Art. 77452930001-12
Art. 77452930001-26

Detail Aluminium Zarge:
Detail aluminium frame:



G-FITTINGS GmbH

Marie-Curie-Straße 16-18
46446 Emmerich am Rhein
T +49 (0)2822 962 0
F +49 (0)2822 962 221
E sales@g-fittings.com