


640.0010.01

DIN Euro Sashlock – 60mm backset – Satin Stainless Steel



Product Specification

Strike and Dust box included.

Specification



Finish	Satin Stainless Steel
Backset	60mm
Case Depth	72mm
Follower Size	8mm
Forend	Square
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years



For more information please contact


01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ



640.0015.01

DIN Euro Deadlock – 60mm backset – Satin Stainless Steel



Product Specification

Strike and Dust box included.

Specification

Finish	Satin Stainless Steel
Backset	60mm
Case Depth	72mm
Follower Size	8mm
Forend	Square
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years




For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

640.0020.01

DIN WC Sashlock – 60mm backset – Satin Stainless Steel



Product Specification

Strike and Dust box included.

Specification





Finish	Satin Stainless Steel
Type	WC
Backset	60mm
Centres	78mm
Follower Size	Upper follower 8mm, lower follower 5mm
Forend	Square
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years



For more information please contact


01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ



640.0025.01

DIN Latch Case – 60mm backset – Satin Stainless Steel



Product Specification

Strike and Dust box included.

Specification






Finish	Satin Stainless Steel
Type	Latch
Backset	60mm
Centres	72mm
Follower Size	8mm
Forend	Square
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years



For more information please contact


01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ



640.7010.01

DIN Euro Sashlock – 60mm backset – Radius Corners



Product Specification

Strike and Dust box included.

Specification





Finish	Satin Stainless Steel
Backset	60mm
Case Depth	72mm
Follower Size	8mm
Forend	Radius
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years



For more information please contact



01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ



640.7015.01

DIN Euro Deadlock – 60mm backset – Radius Corners



Product Specification

Strike and Dust box included.

Specification

Finish	Satin Stainless Steel
Backset	60mm
Case Depth	72mm
Follower Size	8mm
Forend	Radius
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years




For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

640.7020.01

DIN WC Sashlock – 60mm backset – Radius Corners



Product Specification

Strike and Dust box included.

Specification


Finish	Satin Stainless Steel
Type	WC
Backset	60mm
Centres	78mm
Follower Size	Upper follower 8mm, lower follower 5mm
Forend	Radius
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years




For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ












Strike and Dust box included.

Finish	Satin Stainless Steel
Type	Latch
Backset	60mm
Centres	72mm
Follower Size	8mm
Forend	Radius
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years




Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ



640.6072.01

DIN Nightlatch - Anti Thrust Snib - Square Corners



Product Specification

Strike and Dust box included

Anti Thrust Snib

Specification




Finish	Satin Stainless Steel
Anti Thrust Snib	Yes
Backset	60mm
Case Depth	72mm
Forend	Square
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years



For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ



640.6073.01

DIN Nightlatch - Square Corners



Product Specification

Strike and Dust box included

Specification




Finish	Satin Stainless Steel
Backset	60mm
Case Depth	72mm
Forend	Square
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years



For more information please contact


01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ



640.7072.01

DIN Nightlatch - Anti Thrust Snib - Radius Corners



Product Specification

Strike and Dust box included

Anti Thrust Snib

Specification

Finish	Satin Stainless Steel
Anti Thrust Snib	Yes
Backset	60mm
Case Depth	72mm
Forend	Radius
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years



For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

640.7073.01

DIN Nightlatch - Radius Corners



Product Specification

Strike and Dust box included

Specification

Finish	Satin Stainless Steel
Backset	60mm
Case Depth	72mm
Forend	Radius
Forend Size	L 235mm x W 24mm x T 3mm
Handed	Non Handed
UKCA Marked	Yes
Fire Rated	240 Minutes
Tested	EN12209
Tested	EN 1634-1
Guarantee	10 Years



For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

