


640.2110.01

Easi-T Sashlock Case - Euro Profile - 65mm



Product Specification

Our most popular standard UK centres euro sashlock case
Heavy duty, CE marked

Can be used with unsprung levers if used with our heavy
spring component

Specification

Finish	Satin Stainless Steel
Case Depth	65mm
Backset	44mm
Handle/Keyhole Centres	47.5mm
Reversible	Yes
Radius/Square	Square
Dust Box Included	Yes


For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

640.2120.01

Easi-T Sashlock Case - Euro Profile - 76mm



Product Specification

Our most popular standard UK centres euro sashlock case

Heavy duty, CE marked

Can be used with unsprung levers if used with our heavy spring component

Specification

Finish	Satin Stainless Steel
Case Type	Sashlock Case
Profile	Euro Profile
Case Depth	76mm
Backset	57mm
Handle/Keyhole Centres	47.5mm
Spring Type	Medium
Reversible	Yes
Radius/Square	Square
Dust Box Included	Yes
Strike Included	Yes
Pierced for Bolt Through Fixings	Yes
BS 8300 (DDA) compliant	No


For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

640.2120.03

Easi-T Sashlock Case - Euro Profile - 76mm



Product Specification

Our most popular standard UK centres euro sashlock case

Heavy duty, CE marked

Can be used with unsprung levers if used with our heavy spring component

Specification

Finish	Polished Brass
Case Depth	78mm
Backset	57mm
Handle/Keyhole Centres	47.5mm
Follower Size (For Spindle)	8mm
Radius/Square	Square
Dust Box Included	Yes
Strike Included	Yes

For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

