


640.1152.01

ZOO Hardware DIN Escape Sashlock - 60mm Backset



Product Specification

For use with a euro profile cylinder and lever handles, includes split spindle. When locked with the key, the lock is secure externally, but can be released with a single operation of the lever handle from inside, for quick escape.

Specification

Finish	Satin Stainless Steel
Case Depth	85mm
Backset	60mm
Handle/Keyhole Centres	72mm
Forend	Square
Reversible	Yes
Dust Box Included	Yes
Strike Included	Yes
Pierced for Bolt Through Fixings	Yes
BS 8300 (DDA) compliant	Yes

For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com


Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

640.7260.01

DIN Euro Nightlatch Case with 60mm Backset – Square



Making Ironmongery Easy



Product Specification

Square profile – 22mm Grade 304 stainless steel forend

Anti Thrust Pin

Grip tight follower

Specification

Finish	Satin Stainless Steel
Case Depth	90mm
Backset	60mm
Centres	72mm
Tested	BS EN 12209 2003 : Grade 3
Brand	Zoo Hardware


For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

640.1161.01

ZOO Hardware DIN Euro Profile Night Latch - 55mm Backset



Product Specification

For use with a euro profile cylinder, ideal for flat entrance doors or where you require lever access only from inside/key access only from outside

Specification

Finish	Satin Stainless Steel
Case Depth	85mm
Backset	55mm
Handle/Keyhole Centres	72mm
Forend	Square
Reversible	Yes
Dust Box Included	Yes
Strike Included	Yes
Pierced for Bolt Through Fixings	Yes
BS 8300 (DDA) compliant	Yes

For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ