

600.6110.03

Euro Profile Cylinder Key & Turn - Keyed to Differ - 60mm



Product Specification

Keyed to differ - each cylinder has its unique keys and will not operate other cylinders

Cannot be suited or master-keyed

With 3 Keys as Standard

Specification

Finish	Brass Finish
Length	60mm Overall (25-10-25)
Thumbturn	Yes
Pins	5-pin
With Keys	Yes, 3nr
Retaining Bolt Included	Yes
Fire Rated	FD30 FD60

CYLINDER SUITING

KEYED TO DIFFER

Each lock has its own key, so you can't use the same key to open a different lock.



For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

600.6120.03

Euro Profile Cylinder Key & Turn - Keyed to Differ - 70mm



Product Specification

Keyed to differ - each cylinder has its unique keys and will not operate other cylinders

Cannot be suited or master-keyed

With 3 Keys as Standard

Specification

Finish	Brass Finish
Length	70mm Overall (30-10-30)
Thumbturn	Yes
Pins	5-pin
With Keys	Yes, 3nr
Retaining Bolt Included	Yes

CYLINDER SUITING

KEYED TO DIFFER

Each lock has its own key, so you can't use the same key to open a different lock.



For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ

600.5120.03

Euro Profile Double Cylinder - Keyed to Differ - 70mm



Product Specification

Keyed to differ - each cylinder has its unique keys and will not operate other cylinders

Cannot be suited or master-keyed

Specification

Finish	Brass Finish
Length	70mm Overall (30/10/30)
Thumbturn	No
With Keys	Yes, 3nr
Retaining Bolt Included	Yes

CYLINDER SUITING

KEYED TO DIFFER

Each lock has its own key, so you can't use the same key to open a different lock.



For more information please contact

01451 824110 | sales@wellinguk.com | www.wellinguk.com

Welling Ironmongery Ltd, Unit R1, Bourton Industrial Park, Bourton on the Water GL54 2HQ